

Rebel Rabbit

110 Kingsley Dr
Mauldin, SC 29662
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2401CWB0020.0042

Strain: Grapefruit Mild Hare 5mg
Batch#: GFD905; Batch Size: g
Sample Received: 01/25/2024; Report Created: 02/06/2024


Sampling: ; Environment:

Grapefruit Mild Hare 5mg Lot #20

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	0.002%	ND	NR
	Δ9 THC	Total CBD	
	5.10 mg/unit	5.10 mg/unit	
	Total THC	Total Cannabinoids	Moisture

Cannabinoids

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	5.10	0.01
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	ND	ND
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		5.10	0.01

1 mL = 0.9917g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Hunter Flanagan
Hunter Flanagan
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Rebel Rabbit
110 Kingsley Dr
Mauldin, SC 29662
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2401CW0020.0042
Strain: Grapefruit Mild Hare 5mg
Batch#: GFD905; Batch Size: g
Sample Received: 01/25/2024; Report Created: 02/06/2024
Sampling: ; Environment:

Grapefruit Mild Hare 5mg Lot #20
Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Labstat
A Certified Group Company
10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128

Labstat
2401CW0020.0042
N/A
Matrix: Infused Product

Certificate of Analysis

Sample: KN40129004-008
Harvest/Lot ID: Lot #20
Batch#: GFD905
Sample Size Received: 9 gram
Retail Product Size: 355 gram
Ordered : 01/24/24
Sampled : 01/24/24
Completed: 01/31/24

PASSED
Page 1 of 3

Jan 31, 2024 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Clearwater
BioTech

PRODUCT IMAGE **SAFETY RESULTS** **MISC.**

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Fibers
NOT TESTED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
NOT TESTED

Pesticides PASSED

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide	LOD Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012 ppm	0.3	PASS	NO	PIPERONYL BUTOXIDE	0.006 ppm	3	PASS	NO
ACEPHATE	0.008 ppm	3	PASS	NO	PRALLETHRIN	0.006 ppm	0.6	PASS	NO
ACEQUINOXYL	0.038 ppm	2	PASS	NO	PROFENAZOLE	0.007 ppm	1	PASS	NO
ACTEQUINOPID	0.009 ppm	3	PASS	NO	PROPONOX	0.008 ppm	0.1	PASS	NO
ALDICARB	0.009 ppm	0.1	PASS	NO	PRYETHIROS	0.002 ppm	1	PASS	NO
AZOXYSTROBIN	0.013 ppm	3	PASS	NO	PYRIDABEN	0.007 ppm	3	PASS	NO
BEFENKATE	0.028 ppm	3	PASS	NO	SPINETORAM	0.004 ppm	3	PASS	NO
BIFENTHRIN	0.041 ppm	0.5	PASS	NO	SPINEROSIN	0.009 ppm	3	PASS	NO
BOSCALID	0.007 ppm	3	PASS	NO	SPINETORAM	0.009 ppm	3	PASS	NO
CARBARYL	0.012 ppm	0.5	PASS	NO	SPINOTERTRAT	0.009 ppm	3	PASS	NO
CARBOFURAN	0.008 ppm	0.1	PASS	NO	SPINOSAD	0.006 ppm	0.1	PASS	NO
CHLORANTHANIPROLE	0.010 ppm	1	PASS	NO	TIBELFLOPRID	0.008 ppm	1	PASS	NO
CHLORFENQUAT CHLORIDE	0.008 ppm	3	PASS	NO	TRIAETHOXACAM	0.008 ppm	0.1	PASS	NO
CHLORPYRIFOS	0.014 ppm	0.1	PASS	NO	TOTAL SPINOSAD	0.009 ppm	3	PASS	NO
CLOFENTHINE	0.006 ppm	0.5	PASS	NO	TRIFLOXESTRIN	0.009 ppm	3	PASS	NO
COUMAPHOS	0.009 ppm	0.1	PASS	NO					
CYPERMETHRIN	0.01 ppm	1	PASS	NO					
DAMINOZIDE	0.006 ppm	0.1	PASS	NO					
DIAZINON	0.006 ppm	0.2	PASS	NO					
DICHLORVOX	0.014 ppm	0.1	PASS	NO					
DIMETHOATE	0.009 ppm	0.1	PASS	NO					
DIMETHOMORPH	0.009 ppm	3	PASS	NO					
ETHOPROPOFOS	0.007 ppm	0.1	PASS	NO					
ETOFENPROX	0.009 ppm	0.1	PASS	NO					
ETOXACOLE	0.007 ppm	1.5	PASS	NO					
FENHEXAMID	0.005 ppm	3	PASS	NO					
FENPYRIFOS	0.007 ppm	0.1	PASS	NO					
FENPYRIFOSATE	0.006 ppm	2	PASS	NO					
FIPRONIL	0.008 ppm	0.1	PASS	NO					
FLURICLANID	0.014 ppm	2	PASS	NO					
FLUDIOKONIL	0.011 ppm	3	PASS	NO					
HEXYTHIAZOX	0.009 ppm	2	PASS	NO					
IMAZALIL	0.01 ppm	0.1	PASS	NO					
IMIDACLOPRID	0.005 ppm	3	PASS	NO					
KRESOMETHYL	0.01 ppm	1	PASS	NO					
MALATHION	0.009 ppm	2	PASS	NO					
METALAXYL	0.008 ppm	3	PASS	NO					
METHICARB	0.006 ppm	0.1	PASS	NO					
METHORYL	0.009 ppm	0.1	PASS	NO					
METHYRPHOS	0.001 ppm	0.1	PASS	NO					
MYCLOBUTANIL	0.006 ppm	3	PASS	NO					
NALED	0.023 ppm	0.5	PASS	NO					
DIARYL	0.009 ppm	0.5	PASS	NO					
PACLOBUTRAZOL	0.007 ppm	0.1	PASS	NO					
PERMETHRIN	0.008 ppm	1	PASS	NO					
PROXIFEN	0.009 ppm	0.2	PASS	NO					

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test and date. Capitalized content of batch material may vary depending on sampling error. ICH-Non controlled QC parameter; ICH-Non controlled QC parameter; Non-High Detected. Method Analyzed, parameters for Millon, ppm-parts for Millon, Level of Detection (LOD) and Level of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. IFR-Interpretability of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.3.16.

Sue Ferguson
Lab Director
State License # 405
ISO Accreditation # 17025:2017

Signature

01/31/24
Signed On

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Rebel Rabbit
110 Kingsley Dr
Mauldin, SC 29662
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2401CWB0020.0042
Strain: Grapefruit Mild Hare 5mg
Batch#: GFD905; Batch Size: g
Sample Received: 01/25/2024; Report Created: 02/06/2024
Sampling: ; Environment:

Grapefruit Mild Hare 5mg Lot #20
Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Labstat
A Certified Group Company
10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128

Labstat
2401CWB0020.0042
N/A
Matrix : Infused Product

Certificate of Analysis

PASSED

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US
Telephone: 864.793.1314
Email: Mfanagan@clearwaterbiotech.com

Sample : KN40129004-008
Harvest Lot ID: Lot #20
Batch# : GFD905
Sampled : 01/24/24
Ordered : 01/24/24
Sample Size Received : 9 gram
Completed : 01/31/24 Expires: 01/31/25

Page 2 of 3

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	6	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

Analyzed by: 3056 Weight: 0.0215g Extraction date: 01/26/24 11:23:05 Extracted by: 3056
Analysis Method : SOP-T-40.041.TN Reviewed On : 01/30/24 15:38:43
Analytical Batch : KN00449250L Batch Date : 01/26/24 10:51:43
Instrument Used : E-SH9-306 Running on : N/A
Dilution : N/A
Reagent : N/A
Consumables : R2017.167; G201.167
Pipette : N/A

*Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. *Based on ILS active limits.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Calculated content of batch material may vary depending on sampling error. ICH control QC parameter; ICH Non-controlled QC parameter; ND=Not Detected. Material Analyzed, components, the Millen, ppm=parts per billion, Level of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. Reproducibility of test measurements, Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.336.

Sue Ferguson
Lab Director
State License # 105
ISO Accreditation # 17025:2017
01/31/24
Signed On

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Rebel Rabbit
110 Kingsley Dr
Mauldin, SC 29662
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2401CW0020.0042
Strain: Grapefruit Mild Hare 5mg
Batch#: GFD905; Batch Size: g
Sample Received: 01/25/2024; Report Created: 02/06/2024
Sampling: ; Environment:

Grapefruit Mild Hare 5mg Lot #20
Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Labstat
A Certified Group Company
10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128

Labstat
2401CW0020.0042
N/A
Matrix : Infused Product

Certificate of Analysis

PASSED

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US
Telephone: 864.793.5134
Email: fmanagan@clearwaterbiotech.com

Sample: KN40129004-008
Harvest Lot ID: Lot #20
Batch #: GFD905
Sampled : 01/24/24
Ordered : 01/24/24

Sample Size Received : 9 gram
Completed : 01/31/24 Expires: 01/31/25

Page 3 of 3

Microbial				Mycotoxins							
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFALATOXIN G2	0.0016	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFALATOXIN G1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFALATOXIN B2	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFALATOXIN B1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Water Activity					
Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.954	TESTED	

Heavy Metals					
Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	ND	PASS	0.5

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Calibration content of batch material may vary depending on sampling error. IC-NH control QC parameter. IC-NH non-controlled QC parameter. ND=Not Detected. ND=Not Analyzed, depends on the filter, pipette parts for filter, level of detection (LOD) and level of quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.316.

Sue Ferguson
Lab Director
State License # 105
ISO Accredited # 17025:2017
Signature
01/31/24
Signed On

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.