

## Rebel Rabbit

110 Kingsley Dr  
Mauldin, SC 29662  
billy@drinkrebelrabbit.com  
(864) 434-9011  
Lic. #

Sample: 2404CWB0115.0304

Strain: Mild Hare Lemon Lime LOT 27  
Batch#: ; Batch Size: g  
Sample Received: 04/16/2024; Report Created: 04/24/2024

Sampling: ; Environment:

## Mild Hare Lemon Lime LOT 27

Ingestible, Beverage  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	0.001%	ND	NR
	Δ9 THC	Total CBD	
	5.08 mg/unit	5.08 mg/unit	
	Total THC	Total Cannabinoids	Moisture

## Cannabinoids

Analyte	LOQ mg/unit	Mass mg/unit	Mass mg/mL
THCa	3.55	ND	ND
Δ9-THC	3.55	5.08	0.01
Δ8-THC	3.55	ND	ND
THCV	3.55	ND	ND
CBDa	3.55	ND	ND
CBD	3.55	ND	ND
CBDVa	3.55	ND	ND
CBDV	3.55	ND	ND
CBN	3.55	ND	ND
CBGa	3.55	ND	ND
CBG	3.55	ND	ND
CBC	3.55	ND	ND
<b>Total</b>		<b>5.08</b>	<b>0.01</b>

1 mL = 1.0001g.

Total THC = THCa \* 0.877 + d9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids  
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G  
Greenville, SC  
(864) 568-8940  
<http://www.clearwaterbiotech.com>  
Lic# 100737 L21-505



  
Lindsey Contella  
Certifying Scientist

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

## Rebel Rabbit

110 Kingsley Dr  
Mauldin, SC 29662  
billy@drinkrebelrabbit.com  
(864) 434-9011  
Lic. #

## Sample: 2404CWB0115.0304

Strain: Mild Hare Lemon Lime LOT 27  
Batch#: ; Batch Size: g  
Sample Received: 04/16/2024; Report Created: 04/24/2024

Sampling: ; Environment:

## Mild Hare Lemon Lime LOT 27

Ingestible, Beverage  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Labstat  
A Certified Group Company  
10427 Cogdill Road, Suite 500  
Knoxville, TN, 37932, US  
DEA Number: RC0639128

2404CWB0115.0304  
N/A  
Matrix: Infused Product

### Certificate of Analysis

Sample: KN40418002-007  
Harvest/Lot ID: -  
Batch#: -  
Sample Size Received: 8 gram  
Retail Product Size: 1 gram  
Ordered : 04/16/24  
Sampled : 04/16/24  
Completed: 04/24/24

**PASSED**

Page 1 of 3

Apr 24, 2024 | Clearwater Biotech, LLC  
1327 Miller Road  
Greenville, SC, 29607, US

Sample: KN40418002-007  
Harvest/Lot ID: -  
Batch#: -  
Sample Size Received: 8 gram  
Retail Product Size: 1 gram  
Ordered : 04/16/24  
Sampled : 04/16/24  
Completed: 04/24/24

**PASSED**

Page 1 of 3

**SAFETY RESULTS**

Category	Result
Pesticides	PASSED
Heavy Metals	PASSED
Microbials	PASSED
Mycotoxins	PASSED
Residual Solvents	PASSED
Fibrs	NOT TESTED
Water Activity	NOT TESTED
Moisture	NOT TESTED
Terpenes	NOT TESTED

**Pesticides**

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide	LOD Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012 ppm	0.5	PASS	NO	PIPERONYL BUTOXIDE	0.006 ppm	1	PASS	NO
ACEPHATE	0.008 ppm	3	PASS	NO	PHALATHRIN	0.008 ppm	0.4	PASS	NO
ACEDICHOXYL	0.038 ppm	2	PASS	NO	PHOSPHONAMIDE	0.007 ppm	1	PASS	NO
ACETAMIPRID	0.009 ppm	3	PASS	NO	PHOPOLUR	0.008 ppm	0.1	PASS	NO
ALDICARB	0.009 ppm	0.1	PASS	NO	PYRETHRIN	0.002 ppm	1	PASS	NO
AZOXYSTROBIN	0.013 ppm	3	PASS	NO	PRIMIDEN	0.007 ppm	3	PASS	NO
BIFENTHIN	0.028 ppm	3	PASS	NO	SPINETORAN	0.004 ppm	3	PASS	NO
BIFENTHIN	0.047 ppm	0.5	PASS	NO	SPINOMESFEN	0.009 ppm	3	PASS	NO
BOSCALID	0.007 ppm	3	PASS	NO	SPROTETMAT	0.009 ppm	3	PASS	NO
CARBARYL	0.015 ppm	0.5	PASS	NO	SPIROXALIN	0.006 ppm	0.1	PASS	NO
CARBOFUAN	0.008 ppm	0.1	PASS	NO	TEBUCONAZOLE	0.009 ppm	1	PASS	NO
CYBUTHIOPROPYLE	0.017 ppm	1	PASS	NO	THIACLOPRID	0.008 ppm	0.1	PASS	NO
CHLORANIL	0.008 ppm	3	PASS	NO	THIAMETHOXAM	0.009 ppm	1	PASS	NO
CHLORANIL CHLORIDE	0.011 ppm	0.1	PASS	NO	TOTAL SPINOSAD	0.009 ppm	3	PASS	NO
CHLORPYRIFOS	0.006 ppm	0.5	PASS	NO	TRIFLOXYSTROBIN	0.009 ppm	3	PASS	NO
CLOFENTHIZENE	0.006 ppm	0.5	PASS	NO					
CYDOPHOS	0.009 ppm	0.1	PASS	NO					
CYPRMETHIN	0.011 ppm	1	PASS	NO					
DAMIDAZOLE	0.006 ppm	0.1	PASS	NO					
DELETAION	0.006 ppm	0.2	PASS	NO					
DICHLOROVOS	0.014 ppm	0.1	PASS	NO					
DIMETHOATE	0.009 ppm	0.1	PASS	NO					
DIMETHOMORPH	0.009 ppm	3	PASS	NO					
ETHIONPROPHOS	0.007 ppm	0.1	PASS	NO					
ETOFENPROX	0.009 ppm	0.1	PASS	NO					
ETOKAZOLE	0.007 ppm	1.5	PASS	NO					
FENPROXIMAT	0.005 ppm	3	PASS	NO					
FENPYROXATE	0.007 ppm	0.1	PASS	NO					
FENPROXIMAT	0.006 ppm	2	PASS	NO					
FIPRONIL	0.006 ppm	0.1	PASS	NO					
FLOXICANID	0.014 ppm	2	PASS	NO					
FLURIDONE	0.011 ppm	3	PASS	NO					
HEXATHIAZOL	0.009 ppm	2	PASS	NO					
IMAZALIL	0.011 ppm	0.1	PASS	NO					
IMIDACLOPRID	0.005 ppm	3	PASS	NO					
IMIDACLOPRID	0.011 ppm	1	PASS	NO					
IMAZOTHIN	0.009 ppm	2	PASS	NO					
MALATHION	0.008 ppm	3	PASS	NO					
METALAXYL	0.008 ppm	3	PASS	NO					
METHOXYCARB	0.008 ppm	0.1	PASS	NO					
METHOMYL	0.009 ppm	0.1	PASS	NO					
NEVADIMIS	0.001 ppm	0.1	PASS	NO					
NYLONBUTANIL	0.006 ppm	3	PASS	NO					
MALED	0.003 ppm	0.5	PASS	NO					
OMAYL	0.009 ppm	0.5	PASS	NO					
PACLOBUTAZOL	0.007 ppm	0.1	PASS	NO					
PERMETHIN	0.008 ppm	1	PASS	NO					
PHOSMET	0.009 ppm	0.2	PASS	NO					

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Calibration control of batch material may vary depending on sampling error. **IC<sub>50</sub>**-control QC parameter; **IC<sub>90</sub>**-Non-controlled QC parameter; **ND=Not Detected**; **NA=Not Analyzed**; **ppm=parts per Million**; **ppb=parts per Billion**; **Level of Detection (LOD)** and **Level of Quantitation (LOQ)** are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. **RPD=Reproducibility of two measurements**. Action Levels are State determined thresholds available based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**Darren Converse**  
Lab Director  
State License # 105  
ISO Accreditation # 17025:2017

04/24/24  
Signed On

1327 Miller Rd Suite G  
Greenville, SC  
(864) 568-8940  
http://www.clearwaterbiotech.com  
Lic# 100737 L21-505



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

**Rebel Rabbit**  
110 Kingsley Dr  
Mauldin, SC 29662  
billy@drinkrebelrabbit.com  
(864) 434-9011  
Lic. #

**Sample: 2404CWB0115.0304**  
Strain: Mild Hare Lemon Lime LOT 27  
Batch#: ; Batch Size: g  
Sample Received: 04/16/2024; Report Created: 04/24/2024  
Sampling: ; Environment:

**Mild Hare Lemon Lime LOT 27**  
Ingestible, Beverage  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



**Labstat**  
A Certified Group Company  
10427 Cogdill Road, Suite 500  
Knoxville, TN, 37932, US  
DEA Number: RC0639128

**Labstat**  
2404CWB0115.0304  
N/A  
Matrix : Infused Product

## Certificate of Analysis

**PASSED**

Clearwater Biotech, LLC  
1327 Miller Road  
Greenville, SC, 29607, US  
Telephone: 864.479.5114  
Email: fmanagan@clearwaterbiotech.com

Sample : KN40418002-007  
Harvest Lot ID: -  
Batch # : -  
Sampled : 04/16/24  
Ordered : 04/16/24

Sample Size Received : 8 gram  
Completed : 04/24/24 Expires: 04/24/25

Page 2 of 3

### Residual Solvents **PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

Analyzed by: 3050 Weight: 0.0232g Extraction date: 04/22/24 14:17:16 Extracted by: 3050  
Analysis Method : SOP T-40 041.TN  
Analytical Batch : KN00473350L  
Instrument Used : E-SH-106  
Running on : LIMS  
Reviewed On : 04/22/24 17:34:06  
Batch Date : 04/17/24 08:44:08  
Dilution : N/A  
Reagent : N/A  
Consumables : N/A; G201.100  
Pipette : N/A

Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. \*Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Calibration control of batch material may vary depending on sampling error. C=Chlorinated OC parameter; HC=Non-chlorinated OC parameter; ND=Not Detected. Method Analyzed, parameters for Millon, ppm-parts per billion; Level of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. Reproducibility of two measurements. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.3.16.

**Darren Converse**  
Lab Director  
State License # 105  
ISO Accreditation # 17025:2017

04/24/24

Signature

Signed On

1327 Miller Rd Suite G  
Greenville, SC  
(864) 568-8940  
http://www.clearwaterbiotech.com  
Lic# 100737 L21-505



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

**Rebel Rabbit**  
110 Kingsley Dr  
Mauldin, SC 29662  
billy@drinkrebelrabbit.com  
(864) 434-9011  
Lic. #

**Sample: 2404CWB0115.0304**  
Strain: Mild Hare Lemon Lime LOT 27  
Batch#: ; Batch Size: g  
Sample Received: 04/16/2024; Report Created: 04/24/2024  
Sampling: ; Environment:

**Mild Hare Lemon Lime LOT 27**  
Ingestible, Beverage  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



10427 Coghill Road, Suite 500  
Knoxville, TN, 37932, US  
DEA Number: RC0639128

Labstat

2404CWB0115.0304  
N/A  
Matrix : Infused Product



## Certificate of Analysis

**PASSED**

Clearwater Biotech, LLC

1327 Miller Road  
Greenville, SC, 29607, US  
Telephone: 864.793.1314  
Email: f.falanga@clearwaterbiotech.com

Sample : KN0418002-007

Harvest Lot ID: -  
Batch # : -  
Sampled : 04/16/24  
Ordered : 04/16/24

Sample Size Received : 8 gram  
Completed : 04/24/24 Expires: 04/24/25

Page 3 of 3

Microbial					Mycotoxins						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFALATOXIN G2	0.0016	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFALATOXIN G1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFALATOXIN B2	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFALATOXIN B1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Heavy Metals					
Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	ND	PASS	0.5

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Calibrated content of batch material may vary depending on sampling error. IC=Non-controlled QC parameter; HC=Non-controlled QC parameter; ND=Not Detected. Method Analyzed, generates the Millon, ppm parts per billion. Level of Detection (LOD) and Level of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. Reproducibility of two measurements. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.316.

**Darren Converse**  
Lab Director  
State License # 105  
ISO Accreditation # 17025:2017  
04/24/24  
Signed On

1327 Miller Rd Suite G  
Greenville, SC  
(864) 568-8940  
http://www.clearwaterbiotech.com  
Lic# 100737 L21-505



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.