

Rebel Rabbit

110 Kingsley Dr
Mauldin, SC 29662
williamgoldsmith4@gmail.com
(864) 434-9011
Lic. #

Sample: 2303CWB0086.0155


Strain: Δ9 Seltzer Mandarin Orange
Batch#: ; Batch Size: g
Sample Received: 03/09/2023; Report Created: 03/15/2023
Sampling: ; Environment:

Δ9 Seltzer Mandarin Orange

Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	0.0028%	ND	NR
	Δ9 THC	Total CBD	
	0.0028%	0.0028%	Moisture
Total THC	Total Cannabinoids		

Cannabinoids

Analyte	LOQ	Mass	Mass
	%	%	mg/mL
THCa	0.0010	ND	ND
Δ9-THC	0.0010	0.0028	0.028
Δ8-THC	0.0010	ND	ND
THCV	0.0010	ND	ND
CBDa	0.0010	ND	ND
CBD	0.0010	ND	ND
CBDVa	0.0010	ND	ND
CBDV	0.0010	ND	ND
CBN	0.0010	ND	ND
CBGa	0.0010	ND	ND
CBG	0.0010	ND	ND
CBC	0.0010	ND	ND
Total		0.0028	0.028

1 mL = 1.0045g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%.

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 42D23432342



Hunter Flanagan
Hunter Flanagan
Certifying Scientist

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Rebel Rabbit
110 Kingsley Dr
Mauldin, SC 29662
williamgoldsmith4@gmail.com
(864) 434-9011
Lic. #

Sample: 2303CWB0086.0155
Strain: Δ9 Seltzer Mandarin Orange
Batch#: ; Batch Size: g
Sample Received: 03/09/2023; Report Created: 03/15/2023
Sampling: ; Environment:

Δ9 Seltzer Mandarin Orange
Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128

2303CWB0086.0155
N/A
Matrix: Infused Product

Certificate of Analysis

Mar 14, 2023 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: KN30310006-004
Harvest/Lot ID: -
Batch#: -
Seed to Sale# N/A
Batch Date: N/A
Sample Size Received: 7 gram
Total Batch Size: N/A
Retail Product Size: 1 gram
Ordered: 03/09/23
Sampled: 03/14/23
Completed: 03/14/23
Sampling Method: N/A

PASSED

Page 1 of 2

PRODUCT IMAGE

SAFETY RESULTS

Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Fibers NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Toxins NOT TESTED
-------------------	---------------------	-------------------	-------------------	-------------------------------	-------------------	---------------------------	---------------------	-------------------

MISC.

Toxins NOT TESTED

PASSED

Pesticides				Pesticides							
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.1	PASS	NO	PRALLETHRIN	0.008	ppm	0.4	PASS	NO
ACEPHATE	0.008	ppm	3	PASS	NO	PROPICONAZOLE	0.007	ppm	1	PASS	NO
ACODIMOSYL	0.010	ppm	2	PASS	NO	PROPOXUR	0.008	ppm	0.1	PASS	NO
ACETAMPID	0.009	ppm	3	PASS	NO	PYRETHRIN	0.001	ppm	1	PASS	NO
ALDICARB	0.009	ppm	0.1	PASS	NO	PYRIBABEN	0.007	ppm	3	PASS	NO
AZOXYSTROBIN	0.012	ppm	3	PASS	NO	SPINETOSAN	0.008	ppm	3	PASS	NO
BIFENXATE	0.020	ppm	3	PASS	NO	SPINOSAD	0.009	ppm	3	PASS	NO
BIFENTHRIN	0.047	ppm	0.5	PASS	NO	SPROTETRAMAT	0.008	ppm	3	PASS	NO
BOSCALD	0.007	ppm	3	PASS	NO	SPROTETRAMAT	0.009	ppm	3	PASS	NO
CARBARYL	0.013	ppm	0.5	PASS	NO	SPROTETRAMAT	0.008	ppm	0.1	PASS	NO
CARBOURAN	0.008	ppm	0.1	PASS	NO	TEBUCONAZOLE	0.008	ppm	1	PASS	NO
CHLORANTHILIPROLE	0.012	ppm	1	PASS	NO	THIAZOLIPROD	0.008	ppm	0.1	PASS	NO
CHLORFENQUAT CHLORIDE	0.008	ppm	3	PASS	NO	THIAMETHOXAM	0.008	ppm	1	PASS	NO
CHLORPYRIFOS	0.014	ppm	0.1	PASS	NO	TOTAL SPINOSAD	0.009	ppm	3	PASS	NO
CLOFENTHINE	0.006	ppm	0.5	PASS	NO	TRIFLOXYTHIOPIN	0.009	ppm	3	PASS	NO
COURABIPROS	0.009	ppm	0.1	PASS	NO						
DAMINOZIDE	0.006	ppm	0.1	PASS	NO						
DIAZINON	0.006	ppm	0.2	PASS	NO						
DICHLOROVOS	0.014	ppm	0.1	PASS	NO						
DIMETHOATE	0.009	ppm	0.1	PASS	NO						
DIMETHOMORPH	0.009	ppm	3	PASS	NO						
DIMETHOMORPH	0.007	ppm	0.1	PASS	NO						
ETOFENPROX	0.009	ppm	0.1	PASS	NO						
ETHIOZOLE	0.007	ppm	1.5	PASS	NO						
FENEXAMID	0.005	ppm	3	PASS	NO						
FENOXICARB	0.007	ppm	0.1	PASS	NO						
FENPYROQUINATE	0.006	ppm	2	PASS	NO						
FIPRONIL	0.008	ppm	0.1	PASS	NO						
FLURICLANE	0.014	ppm	3	PASS	NO						
FLURIDONE	0.011	ppm	3	PASS	NO						
HEXATHIAZOLE	0.009	ppm	1	PASS	NO						
IMAZALIL	0.01	ppm	0.1	PASS	NO						
IMIDACLOPRID	0.005	ppm	3	PASS	NO						
KRESOXIM-METHYL	0.01	ppm	1	PASS	NO						
MALATHION	0.008	ppm	2	PASS	NO						
METALATHYL	0.006	ppm	3	PASS	NO						
METHIOCARB	0.008	ppm	0.1	PASS	NO						
METHOMYL	0.009	ppm	0.1	PASS	NO						
MEVIPHOS	0.003	ppm	0.1	PASS	NO						
MYCLOFUTHANIL	0.006	ppm	3	PASS	NO						
NALED	0.023	ppm	0.5	PASS	NO						
OXAMYL	0.008	ppm	0.5	PASS	NO						
PACLOFENUTAZOLE	0.007	ppm	0.1	PASS	NO						
PERMETHRIN	0.008	ppm	1	PASS	NO						
PROQUET	0.009	ppm	0.2	PASS	NO						
PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	NO						

Sue Ferguson
Lab Director
State License # 015
ISO Accreditation # 17025-2017

Sue Ferguson
Signature

03/14/23
Signed On

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. C=no control QC parameter, NC=non-qualified QC parameter, ND=Not Detected, N/A=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result: 99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64A-4.310.

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 42D23432342



Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Rebel Rabbit
110 Kingsley Dr
Mauldin, SC 29662
williamgoldsmith4@gmail.com
(864) 434-9011
Lic. #

Sample: 2303CWB0086.0155

Strain: Δ9 Seltzer Mandarin Orange
Batch#: ; Batch Size: g
Sample Received: 03/09/2023; Report Created: 03/15/2023

Sampling: ; Environment:

Notes:



Δ9 Seltzer Mandarin Orange
Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Labstat
A Certified Group Company
10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128

Labstat
2303CWB0086.0155
N/A
Matrix : Infused Product

Certificate of Analysis

PASSED

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US
Telephone: 864.793.5134
Email: mfangagan@clearwaterbiotech.com

Sample : KN30310006-004
Harvest Lot ID: -
Batch # : -
Sampled : 03/09/23
Ordered : 03/09/23
Sample Size Received : 7 gram
Total Batch Size : N/A
Completed : 03/14/23 Express 03/14/24
Sample Method : SOP Client Method

Page 2 of 2

Microbial				Mycotoxins					
Analyte	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP	Not Present	PASS		AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE	Not Present	PASS		AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS	Not Present	PASS		AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS	Not Present	PASS		AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS NIGER	Not Present	PASS		OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS	Not Present	PASS		TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Heavy Metals					
Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	<0.04	PASS	3
LEAD-PB	0.02	ppm	ND	PASS	0.5

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. C=the control QC parameter, NC=Not qualified QC parameter, ND=Not Detected, N/A=Not Analyzed, ppm=Parts Per Billion, ppb=Parts Per Billion, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >90% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on I.S. Rule 64-4.130.

Sue Ferguson
Lab Director
State License # 118
ISO Accreditation # 17025:2017
Signature
03/14/23
Signed On

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 42D23432342



Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.